



图面为美观设计，请仔细确认。

1. ALL DIMENSIONS ARE IN mm WITH  $\pm 0.20$  TOLERANCE UNLESS OTHERWISE SPECIFIED.
2. VIEWING ANGLE: 12:00 O'CLOCK.
3. VIEWING MODE: POSITIVE/REFLECTIVE
4. DISPLAY TYPE : TN (7.65  $\mu$ m)
5. CONNECTION: PIN
6. FLUID SPECIFICATION:  
 DRIVING VOLTAGE: 3.0V  
 MULTIPLEX LEVEL: 1/4DUTY / 1/3BIAS  
 OPERATING TEMP. :  $-20^{\circ}\text{C}$  --  $+70^{\circ}\text{C}$   
 STORAGE TEMP. :  $-30^{\circ}\text{C}$  --  $+80^{\circ}\text{C}$
7. ROHS CERTIFICATION

确认此型号所有图纸: 签字确认:		序号	内容	绘图	日期	厦门精显科技有限公司 XIAMEN PRECISE DISPLAY CO., LTD.				
修 改						绘图编号: PZDTP1958P		单位:	mm	
						客户编号: 8digitlcd		版号:	00	
						绘图:	YXM	复核:	ZQ	
						审核:	CLY	批准:	WLF	
						日期:	2013.04.27		页数:	1/3



SEGMENT



COMMON

PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
COM1	COM1	/	/	/	1D	S1	2D	S2	3D	S3	4D	S4	/	5D	S8	6D	/h	7D	S7	8D	S6	DP2
COM2	/	COM2	/	/	1E	1C	2E	2C	3E	3C	4E	4C	DP1	5E	5C	6E	6C	7E	7C	8E	8C	COL2
COM3	/	/	COM3	/	1F	1G	2F	2G	3F	3G	4F	4G	COL1	5F	5G	6F	6G	7F	7G	8F	8G	/
COM4	/	/	/	COM4	1A	1B	2A	2B	3A	3B	4A	4B	S5	5A	5B	6A	6B	7A	7B	8A	8B	S9

确认此型号所有图纸：  
签字确认：

 <b>厦门精显科技有限公司</b> XIAMEN PRECISE DISPLAY CO., LTD.			
<b>客户编号:</b> 8digitlcd		<b>版号:</b> 00	
<b>绘图:</b> YXM	<b>复核:</b> ZQ	<b>日期:</b> 2013.04.27	<b>页数:</b> 2/3
<b>审核:</b> CLY	<b>批准:</b> WLF		



# 显示效果图

确认此型号所有图纸：  
签字确认：

 <b>厦门精显科技有限公司</b> XIAMEN PRECISE DISPLAY CO., LTD.			
客户编号: 8digitlcd		版本号: 00	日期: 2013.04.27
绘图: YXM	复核: ZQ	日期: 2013.04.27	日期: 2013.04.27
审核: CLY	批准: WLF	页数: 3/3	页数: 3/3